



# Request for Quote

Printed: 11.09.2019

Page:

1 of 9

**Number:**

**6000207928**

Date:

19.08.2019

VAT REG NO: 4740101508

**ESKOM HOLDINGS GENERATION**  
**eskom holdings generation Ltd**  
P O Box 2634  
johannesburg  
2157

RFQ Collective number

OLT1173902

Contact person

TLOU PHILLIPINE MASHILO

Your person responsible/Your reference

Please deliver to:  
Lethabo Power Station.  
Deneysville Vaaldam Road.  
Vereeniging.  
1930

Your vendor number with us

11070302

Quotation deadl.: 27.09.2019

Delivery date: Day 23.10.2019

\*\*\*\*\*

Dear Valued Supplier,

**NB!!! IT IS ESTIMATED THAT TENDERSERS SHOULD HAVE A CIDB CONTRACTOR GRADING OF 3ME**

Eskom Holdings SOC Ltd (#Eskom”) hereby invites you to submit a quote on the following goods/works/services as stated below.

Please note the following rules with respect to the OLT system (Informal Tendering)

a. Please ensure that the email subject line only contains the OLT1173902 Enquiry number as per heading and no other information. Do not add any text to the subject line. Do not add any space in between the prefix and the enquiry number.

- b. Closing Date: 27/09/2019 at 23:00
- c. Ensure that the enquiry number is stipulated in the subject line on all e-mails if multiple emails are sent.
- d. Ensure that you receive a confirmation email after submitting your documentation. Please follow up immediately via the email address of the respective buyer if you did not receive this.
- e. Maximum attachment size per email is 10MB. It is the supplier's obligation to ensure that the attachments per email do not exceed this limit.
- f. Please note closing date and time on the RFQ. Your submission will not be evaluated if it is received after the closing date and time of the RFQ.
- g. All tender returnables/documentation must be submitted to [Informaltendering@eskom.co.za](mailto:Informaltendering@eskom.co.za) only. E-mails to any other address (except for clarifications) will not be accepted. Failure to comply with these rules will result in your tender being disqualified.
- h. Requests for Clarifications must be sent in writing to the respective buyer at [mabitsph@eskom.co.za](mailto:mabitsph@eskom.co.za) and not to [Informaltendering@eskom.co.za](mailto:Informaltendering@eskom.co.za). All requests for clarifications and responses must be in writing. Eskom will respond to requests for clarification received within one (1) # two (2) working days before the tender closing deadline, depending on the enquiry duration and complexity.

Note:

- Due to varying requirements, slight changes could be included in each RFQ document, and suppliers are therefore required to read through the document carefully whenever invited to tender.
- ALL Suppliers are required to be registered (except foreign suppliers) on the National Treasury Central Supplier Database (CSD) as at tender response stage and the respective CSD number must be provided with all quotes together with the Eskom vendor registration number. Responses that do not comply with the CSD requirement will be regarded as non-responsive (except foreign suppliers)  
For CSD registration: Please register at <https://secure.csd.gov.za/>
- All Suppliers (including Foreign suppliers) are required to complete SBD 1-Invitation to Bid and submit this annexure at tender closing deadline. Local suppliers are required to be tax compliant and must submit CSD Number/ Efiling pin number/ copy of tax clearance certificate as evidence of their tax compliance status.
- Foreign suppliers (even those with no footprint in RSA) are in addition required to answer Part B (3) which is part of the afore-mentioned SBD 1. Should the said Foreign suppliers answer #yes" to any of the questions [Part B (3)]; they are required to be tax compliant and must therefore submit their Efiling pin number or copy of tax clearance certificate which will be verified by Eskom.
- All suppliers are required to refer to [www.eskom.co.za](http://www.eskom.co.za) for the Supplier Integrity Pact that must be downloaded and read. The Integrity Pact Declaration (attached hereto) named Supplier Declaration Form

is a mandatory tender returnable.

- Specify line prices at lines where prices are submitted and indicate no quote at lines where no price is submitted.
- Where #designated sectors” are applicable, ensure that the relevant annexures and declarations are submitted by the RFQ deadline, or the submission will be regarded as non-responsive and disqualified.
- It is now a requirement to return full specifications with your quotation eg. drawings, dimensions, manufacturer's name, etc of the item contained in this RFQ. You are also required to complete and submit the attached deviation form along with your quotation at RFQ closing deadline. Even if there is no deviation, it is still required to completed and return this schedule stating that there is no deviation. Please ensure that the SAP No, Drawing No, Revision No and Manufacturer is stated on the form. It must also be signed. If there are deviations, but the deviation schedule has not been completed and/or returned with your quote, your offer will be will be disqualified.
- Only Eskom Standard Conditions of Tender applies.

ANNEXURES (available for download on SharePoint/Hyperwave)

- Integrity Pact Declaration(applicable for all enquiries)
- SBD-6.2- Certificate for Local Production and Content and Annexures C,D,E (applicable where there are designated sectors / materials only)
- Tax Evaluation questionnaire (applicable for services type of contracts only)
- SBD 1- Invitation to Bid (applicable for all suppliers)
- CPA Requirements for Local Goods/Services (South African) or CPA (IG) for Foreign Goods / Services (where applicable)
- Technical Deviation Schedule (applicable for all enquiries)
- SDB 6.1 - Preference Points Claim Form (applicable for all enquiries)
- Eskom Standard Conditions of Tender (applicable for all enquiries)
- Eskom’s General Conditions of Purchase (applicable for all enquiries)
- SD&L Undertaking (where applicable- to be obtained from SD&L)

## 1. CONDITIONS OF PURCHASE

Eskom General Conditions of Purchase (as attached) will apply.

## 2. EVALUATION CRITERIA

For transactions above R30 000 up to R50M (inclusive of VAT) Price and B-BBEE Preferential Point Scoring will be based on the 80/20 allocation aligned to the PPPFA Regulations 2017;

For transactions less than R30 000 (inclusive of VAT); the Preferential Point Scoring is not mandatory and only Price may be used (or state any other criteria to be used).

Note:

Eskom reserves the right to negotiate with preferred bidders after a competitive bidding process or price quotations; should the tendered prices not be deemed market-related.

#Eskom reserves the right to award to a supplier who may not be the highest scoring or highest ranked supplier, in line with Section (2)(1)(f) of the PPPFA”, due to #objective criteria” however this would have to be subject to negotiations.

Upon evaluation of tenders received, Eskom may negotiate or conclude orders with one or more suppliers.

Objective Criteria may comprise the following:-

1. SHEQ Requirements
2. Local to Site (only if justified by Business/Operational requirements)
3. Due Diligence (financial analysis)

### 3. TENDER RETURNABLES

Please ensure that the tender returnables listed hereunder are submitted as per stipulated deadlines as non-compliance with mandatory tender returnables at RFQ closing deadline will result in disqualification (except where these are required for scoring /ranking purposes only). Non-compliance with mandatory returnables due at contract/order award stage will impact award.

- Integrity Pact Declaration (at RFQ closing deadline)
- SBD 6.2- Certificate for Local Production and Content and Annexures C,D, E (at RFQ closing deadline) Applicable where there are designated sectors/materials only.
- Tax Evaluation questionnaire to determine whether a company, close corporation (CC) or Trust is a personal service provider for purposes of PAYE (at order/contract award) Applicable for services contracts only.
- SBD 1- Invitation to Bid (at RFQ closing deadline) Applicable for all suppliers
- CPA Requirements for Local Goods/Services (South African) or CPA (IG) for Foreign Goods/Services (at tender closing deadline) Where applicable.
- Technical Deviation schedule (at RFQ closing deadline). This must be completed, signed and submitted for all enquiries indicating whether there are deviations or not. Whether there are deviations or not, if the deviation schedule has not been completed and/or returned with your quote, your offer will be disqualified.
- SBD 6.1- Preference Points Claim Form (at RFQ closing deadline) Applicable for all
- Copy of valid current SARS certificate (at contract/order award) Applicable for Foreign suppliers who are required to be tax compliant but have not submitted a CSD/eFiling Pin number.
- \*Certified copy of a Valid original B-BBEE certificate (at RFQ closing deadline)
- List of Directors/Shareholding (at RFQ closing deadline)
- Letter of Good Standing (COIDA) (at contract/order award)
- CIDB (at contract/order award) Applicable for construction-related contracts.
- SD&L Undertaking (at RFQ closing deadline ) Where applicable and provided by SD&L

\*Note:

Where there is failure on the part of the supplier to submit a Certified copy of a Valid original B-BBEE certificate by stipulated deadline for purposes of evaluation and scoring, the tender submission will not be deemed non-responsive and disqualified exclusively for this reason, but will automatically score zero on B-BBEE for purposes of scoring and ranking (if otherwise deemed to be responsive and acceptable in all other aspects).

However, if these Certified copy of a Valid original B-BBEE certificate /affidavits etc are required as evidence to show compliance with pre-qualification criteria; and they are not provided at RFQ tender closing deadline; then the tender will be disqualified.



# Request for Quote

Printed: 11.09.2019

Page:

5 of 9

**Number:**

**6000207928**

Date:

19.08.2019

VAT REG NO: 4740101508

NOTE:- COMPLETE ALL PAGES AND INDICATE UNIT PRICE NEXT TO EACH LINE ITEM IF QUOTED ON AND INDICATE NO QUOTE IF NOT QUOTED ON LINE ITEM. SUBMIT THE WHOLE RFQ DOCUMENTATION

SUPPLIER NAME: \_\_\_\_\_

ESKOM VENDOR NUMBER \_\_\_\_\_

COMPANY REGISTRATION NUMBER \_\_\_\_\_

SARS eFiling Pin Number \_\_\_\_\_

B-BBEE LEVEL \_\_\_\_\_

ADDRESS \_\_\_\_\_

TEL NO: \_\_\_\_\_

FAX NO: \_\_\_\_\_

E-MAIL: \_\_\_\_\_

National Treasury CSD number: \_\_\_\_\_

(Not compulsory for Foreign Suppliers)

Not accepting Eskom Holdings SOC Ltd General Conditions of Purchase will render quote non-responsive

DO YOU ACCEPT ESKOM HOLDINGS SOC LTD GENERAL CONDITIONS OF PURCHASE?

Yes \_\_\_\_\_

No \_\_\_\_\_

DELIVERY DATE OFFERED: \_\_\_\_\_

ARE DELIVERY CHARGES INCLUDED IN THE PRICE

Yes \_\_\_\_\_

No \_\_\_\_\_

DISCOUNT: (1) TRADE \_\_\_\_\_

(2) SETTLEMENT \_\_\_\_\_

ARE THE PRICE/S FIXED AND FIRM?

Yes \_\_\_\_\_

No \_\_\_\_\_



# Request for Quote

Printed: 11.09.2019

Page:

6 of 9

**Number:**

**6000207928**

Date:

19.08.2019

VAT REG NO: 4740101508

Freight Insurance: \_\_\_\_\_  
FOB VALUE: \_\_\_\_\_  
RATE OF EXCHANGE: \_\_\_\_\_

QUOTATION VALIDITY PERIOD: \_\_\_\_\_ DAYS

PRINT NAME OF SUPPLIER: \_\_\_\_\_

TOTAL TENDER PRICE, EXCLUDING DELIVERY  
AND VAT: \_\_\_\_\_

TOTAL TENDER PRICE INCLUDING DELIVERY BUT EXCLUDING VAT \_\_\_\_\_

TOTAL TENDERED PRICE, INCLUDING VAT \_\_\_\_\_

SIGNATURE \_\_\_\_\_  
(Duly authorised to sign on behalf of the supplier)

DATE \_\_\_\_\_

Suppliers Must Comply with Eskom's Life Saving Rules while on site.

The vendor will be required to ensure that the following environmental requirements are complied with at all times (where applicable):-

1. Zero liquid effluent discharge.
2. No chemicals will be dumped into the station drains or on the premises.
3. No oil or waste will be dumped on an unauthorized area or unlicensed waste site.
4. Asbestos will be handled and stored according to Asbestos Regulation R155 of 2002(or latest revision).
5. No materials or waste will be burnt on site. Hazardous substances shall be handled and stored according to the Hazardous substances. Regulation GN1179 of 1995 (or latest revision) Effluent shall not be discharged into public streams.

#### 4. Technical Deviation

- i. Are there any technical Deviations: Yes \_\_\_\_\_ | No \_\_\_\_ (Mark Applicable)
- ii. If #Yes" above, did you submit a signed technical deviation? Yes \_\_\_\_\_ | No \_\_\_\_  
(Mark Applicable)

Comment:

---



---



---

Item	Material	Description	Deliv. date
RFQ quantity	Unit		

**00010 West/East Pipe/Pump Repairs**

1 Perf. unit

West/East Pipe/Pump Repairs  
Pipe and pump repair at Lethabo Power Station

Requirements

- # All activities should be carried out within outage period.
- # Activities are outage dependant and shall be completed between 8 Aug -17 Sept 2019.
- # The contractor shall have an Authorised Supervisor in terms of the Eskom PSR which will have his/her authorisation in place by the time the outage commences.
- # The contractor is also to ensure that the safety file is approved on time.
- # The contractor is to provide sufficient resources to execute the work in the provided time.

Scope

1. Remove and acid clean (using diluted 5-6 % HCl- acid concentration shall not exceed 7.5% by mass) the 4 suction valves (350NB) Replace grease and seals in gearboxes. Replace the valve and expansion bellow if valve is damaged. Valves will be provided by Eskom. Replace bolts, nuts, washers and gaskets afterwards.
2. Remove and acid clean (using diluted HCl) the 4 control valves (300NB). Replace grease and seals in Gearboxes. Replace bolts, nuts, washers and gaskets afterwards.
3. Remove and inspect the following 4 non-return valves (300NB). New valves will be supplied by Eskom if damaged. Replace bolts, nuts, washers and gaskets afterwards.
4. Replace pipe supports and hold down bolts at the sump/pump area as per sample.
5. Coat the new pipe support structures -see attached coating specifications in Appendix A: Table A2 -Coating and Concrete repairs of West/East transfer system External coating. Refer to drawing 063/25505.
6. Align discharge pipe(s) with pumps (around 50 mm misaligned-pipes currently under tension). Refer to drawing 063/25505. It is possible that pipe supports on the soil has also sagged slightly. It might therefore be required to reposition the supports to allow for proper alignment. Allowable misalignment on suction/discharge bolt holes shall not be more than 1 mm. Flanges shall be parallel to less than 10 micron meters per centimetre. Flange face separation shall be within the gasket spacing plus or minus 1.5mm.
7. Secure suction pipes to support structure.
8. Coat pump base plates according to External exposed surfaces. Colour: black. Repair bases where required. Install missing stubs. Replace corroded anchor bolts. - Appendix A: Table A2 -Coating and Concrete repairs of West/East transfer system. Pumps and motors to be removed to allow for access. The Contractor will be responsible to disconnect the motors and reconnect the motors.
9. Align pumps and motors after work is completed (tolerance: excellent:0.13 mm gap, 0.06mm offset; acceptable: 0.18mm gap, 0.09mm offset). Contractor is to supply all tool required for alignment and installation of pumps and motors. All corroded bolts to be replaced. Alignment and installation will be verified by Eskom engineer and condition monitoring. Alignment report is to be provided by the contractor.

Item	Material	Description	Deliv. date
	RFQ quantity	Unit	
		10. Replace damaged cable supports at pump area. 11. Secure loose cables on cable rack/cable supports. 12. Replace piping on submersible pump-see specifications below. Colour: Black. Secure pump to wall. 13. Replace flexible pipes on pumps used for gland water. 14. The contractor will be responsible for site clearance and clean up. 15. QCP is to be provided by contractor. Pipe alignment is to be verified before pipe is secured to pumps.	
		Technical specifications for above listed repairs: # Pump base plates o Remove pumps and motors o Replace corroded bolts o Coating according to External exposed surfaces specifications. o Colour: Black  # Submersible pump discharge pipe o Approximate length: 4m o Size: 40 NB o Material: Galvanised steel o External coating: 3 coat system (Clean, prime, top coat) o Colour: black  # Flange Specification: o Sizes 15 to 150: Flange drilling BS 4504 Table 16/3 Pressure rating 16 bar SO FF. o Sizes 200 and above BS 4504 Table 10/3 Pressure Rating 10 bar SO FF. Flange specification and size to be confirmed on site for all flanges.  # General o All bolts, nuts and gaskets to be supplied by Contractor. o QCPs to be approved before any work can commence. o Contractor is to verify all dimensions on site. o Coating to comply with Eskom standard: 240-101712128 Standard for the internal corrosion protection of water systems Chemical Tanks and Vessels and Associated Piping with Linings.  Equipment/Personal The contractor shall have the following as a minimum: # Mobile compressor for sandblasting and coating # Riggers & rigging equipment # Qualified fitter (accreditation: SAQA or similar).	
		Eskom Eskom will provide the following: # Potable water (it will remain the contractor's responsibility to supply hoses/connections/truck). # Electricity (it will remain the contractor's responsibility to supply the connections to the nearest connection point). COC must be obtained for the Eskom before equipment can be used.	



<b>Item</b>	<b>Material</b>	<b>Description</b>	<b>Deliv. date</b>
	RFQ quantity	Unit	

# Crane will be provided by Eskom if required.  
# Scaffolding will be provided by Eskom.

**Suggested price list:**

Prices to include all resources required to execute the line item. Depending on the allowable outage duration, time may not allow to execute all the activities.

Item Number	Price per item	Total
Item 1 & 2: Acid clean valves and repair gearboxes, bolts, nuts etc.	8	
Item 3: Inspect NRVs (including bolts nuts etc.)	4	
Item 4, 5 & 6: Replace and coat supports and align pipe.	-	
Item 7: Secure suction pipe	4	
Item 8 & 9: Repair and coat pump bases. Alignment of pumps etc.	4	
Item 10 & 11: Cable supports and secure cables	-	
Item 12 & 13: Pipe replacement	-	
Health and safety	-	
Site establishment	-	
Total		

**Technical Evaluation Criteria**

The contractor is to provide the following during the tender stage to be technically acceptable.

Mandatory (each point must be addressed):

- # Proof of 5 years relevant experience in pipe/pump installation.
- # Proof of 3 years relevant experience in coating.
- # ISO 9001 certification (certificate to be provided).

**The item covers the following services:**

10

1 LE

West/East Pipe/Pump Repairs